



F. No.2-2(636)/Tech/SE(P)/CE/2026-27/4213
अंडमान तथा निकोबार प्रशासन
ANDAMAN AND NICOBAR ADMINISTRATION
मुख्य अभियन्ता का कार्यालय
OFFICE OF THE CHIEF ENGINEER
अंडमान लोक निर्माण विभाग
ANDAMAN PUBLIC WORKS DEPARTMENT
निर्माण भवन NIRMAN BHAWAN
(अधीक्षण अभियंता - योजना)
(SUPERINTENDING ENGINEER - PLANNING)
श्री विजयपुरम SRI VIJAYA PURAM

dh

Sri Vijaya Puram, dated the 16 Sept., 2026

To

The Chief Editor,
Government Press,
Sri Vijaya Puram,
Andaman & Nicobar Islands.

Sub: Publication of Press Release inviting public suggestions for addressing potable water scarcity in A&N Islands - reg.

Sir/Madam,

I am directed to forward herewith a Press Release regarding invitation of public suggestions for addressing the issue of potable water scarcity in the Andaman and Nicobar Islands, in compliance with the directions of the Hon'ble High Court at Calcutta, Circuit Bench at Sri Vijaya Puram, in WPA(P)/2/2026 - *Sandeep Singh v. Union of India & Others*, vide order dated 03.08.2026.

You are requested to kindly arrange for publication of the enclosed Press Release in the "The Daily Telegrams".

Yours faithfully,

Encl:-A/A

Superintending Engineer(Plg.)
(Member Secretary)

Copy to:-

1. The Executive Engineer (E&M), Planning, APWD, Sri Vijaya Puram - with a request to kindly upload the enclosed Press Release on the official departmental website of APWD for wide dissemination.
2. The Assistant Manager (IT), EDP Cell, Secretariat - with a request to kindly upload the enclosed Press Release on the official website of the Andaman and Nicobar Administration for wide dissemination.
3. Shri Sandeep Singh, Petitioner in WPA(P)/2/2026, through his Learned Advocate, Shri Mohammed Tabraiz - for information and necessary action.

Superintending Engineer(Plg.)

PRESS RELEASE

Andaman Nicobar Island despite receiving about 3100mm of average annual rainfall frequently faces water shortage due to various reasons including climatic conditions. It lead to public hardship during such shortages. Therefore Hon'ble High Court Calcutta, Circuit Bench at Sri Vijaya Puram (Port Blair), in WPA(P)/2/2026, *Sandeep Singh v. Union of India & Others*, vide order dated 03.08.2026 has issued directions to invite public suggestions for addressing potable water scarcity in the Andaman and Nicobar Islands.

Further In accordance with the directions of the Hon'ble High Court, an Expert Committee has also been constituted by the Andaman and Nicobar Administration to examine the issue of potable water scarcity in the Andaman and Nicobar Islands and recommend appropriate measures for addressing it.

The Expert Committee comprises representatives and experts from the Andaman and Nicobar Administration, the Geological Survey of India (GSI), the Central Ground Water Board (CGWB), the National Institute of Hydrology (NIH), IIT Kharagpur, the National Institute of Ocean Technology (NIOT), and the Andaman and Nicobar Pollution Control Committee (ANPCC).


The Hon'ble High Court has also directed that the petitioner and all stakeholders shall be entitled to make necessary and practical suggestions, drawing upon examples from other parts of the world where water scarcity has been successfully addressed.

Hence hereby suggestions are invited from members of the general public, technical experts, institutions, professionals, researchers, civil society organisations, and other stakeholders on feasible and sustainable measures to address the scarcity of potable water in A&N Islands. The suggestions received will be placed before the Expert Committee for its consideration. Suggestion may be submitted in written or electronic form with clear and concise idea with suitable example if possible along with details address and contact details of person/organisation.

Suggestions and ideas may be sent to the following email addresses within **15 days from the date of publication of this notice**:

Email addresses:

1. ceapwd@and.nic.in
2. seplgapwd@gmail.com


Member Secretary, Expert Committee
Superintending Engineer (Plg)
CE's Office, APWD, Sri Vijaya Puram
A&N island